Contents

VOLUME 9 NUMBER 1

MicroReviews

- 1 The role of mRNA degradation in the regulated expression of bacterial photosynthesis genes G. Klug
- 9 Adaptation of Escherichia coli to redox environments by gene expression S. luchi & E. C. C. Lin

Research Articles

- Molecular cloning and characterization of a sym plasmid locus that regulates cultivarspecific nodulation of soybean by *Rhizobium* fredii USDA257 L. W. Meinhardt, H. B. Krishnan, P. A. Balatti & S. G. Pueppke
- 31 Regulation of epidermin biosynthetic genes by EpiQ A. Peschel, J. Augustin, T. Kupke, S. Stevanovic & F. Götz
- Site-specific insertion of gene cassettes into integrons
 C. M. Collis, G. Grammaticopoulos, J. Briton, H. W. Stokes & R. M. Hall
- Iron and oxygen regulation of Escherichia coli MnSOD expression: competition between the global regulators Fur and ArcA for binding to DNA
 B. Tardat & D. Touati
- 65 S-layer protein from Thermus thermophilus HB8 assembles into porin-like structures
 J. R. Castón, J. Berenguer, M. A. de Pedro
 & J. L. Carrascosa
- Spatial expression and autoregulation of hetR,
 a gene involved in the control of heterocyst
 development in Anabaena
 T. A. Black, Y. Cai & C. P. Wolk
- 85 Cloning and nucleotide sequence of frpC, a second gene from Neisseria meningitidis encoding a protein similar to RTX cytotoxins S. A. Thompson, L. L. Wang & P. F. Sparling
- 97 Characterization of the *cspB* gene encoding PS2, an ordered surface-layer protein in *Corynebacterium glutamicum*J. L. Peyret, N. Bayan, G. Joliff,
 T. Gulik-Krzywicki, L. Mathieu, E. Shechter
 & G. Leblon
- 111 Complementation of an Enterococcus hirae (Streptococcus faecalis) mutant in the alpha subunit of the H⁺-ATPase by cloned genes from the same and different species T. Suzuki, C. Shibata, A. Yamaguchi, K. Igarashi & H. Kobayashi

- 119 comF, a Bacillus subtilis late competence locus, encodes a protein similar to ATPdependent RNA/DNA helicases J. A. Londoño-Vallejo & D. Dubnau
- 133 Conservation of motifs within the unusually variable polypeptide sequences of type I restriction and modification enzymes N. E. Murray, A. S. Daniel, G. M. Cowan & P. M. Sharp
- Identification of nodSUIJ genes in Nod locus 1 of Azorhizobium caulinodans: evidence that nodS encodes a methyltransferase involved in Nod factor modification
 D. Geelen, P. Mergaert, R. A. Geremia, S. Goormachtig, M. Van Montagu & M. Holsters
- 155 Co-dependent positive regulation of the ansB promoter of Escherichia coli by CRP and the FNR protein: a molecular analysis M. P. Jennings & I. R. Beacham
- Regulation of the ansB gene of Salmonella enterica
 M. P. Jennings, S. P. Scott & I. R. Beacham
- 173 Analysis of diphtheria toxin repressor—operator interactions and characterization of a mutant repressor with decreased binding activity for divalent metals

 M. P. Schmitt & R. K. Holmes
- 183 Cloning and characterization of the psaE gene of the cyanobacterium Synechococcus sp. PCC 7002: characterization of a psaE mutant and overproduction of the protein in Escherichia coli
 J. Zhao, W. B. Snyder, U. Mühlenhoff, E. Rhiel, P. V. Warren, J. H. Goldbeck & D. A. Bryant
- 195 Molecular analysis of two ScrR repressors and of a ScrR-FruR hybrid repressor for sucrose and D-fructose specific regulons from enteric bacteria
 K. Jahreis & J. W. Lengeler
- A family of IS1031 elements in the genome of Acetobacter xylinum: nucleotide sequences and strain distribution
 D. H. Coucheron
- 219 MicroCorrespondence

Erratum

221 The general amino acid control regulates MET4, which encodes a methionine-pathwayspecific transcriptional activator of Saccharomyces cerevisiae H. A. Mountain, A. S. Byström & C. Korch

VOLUME 9 NUMBER 2

MicroReview

225 Structure-function correlation for the *EcoRV* restriction enzyme: from non-specific binding to specific DNA cleavage

I. B. Vipond & S. E. Halford

Research Articles

- 233 IS10 mRNA stability and steady state levels in Escherichia coli: indirect effects of translation and role of rne function C. Jain & N. Kleckner
- 249 Preferential cis action of IS 10 transposase depends upon its mode of synthesis
 C. Jain & N. Kleckner
- 261 The int genes of bacteriophages P22 and λ are regulated by different mechanisms
 D. L. Wulff, Y. S. Ho, S. Powers & M. Rosenberg
- 273 Hc1-mediated effects on DNA structure:
 a potential regulator of chlamydial development
 C. E. Barry, III, T. J. Brickman & T. Hackstadt
- Pleiotropic effects of the *rpoC10* mutation affecting the RNA polymerase β' subunit of *Escherichia coli* on factor-dependent transcription termination and antitermination K. Ito & Y. Nakamura
- 295 Processing and methylation of PulG, a pilinlike component of the general secretory pathway of *Klebsiella oxytoca* A. P. Pugsley
- 309 Genetic organization and sequence of the *rfb* gene cluster of *Yersinia enterocolitica* serotype O:3: similarities to the dTDP-L-rhamnose biosynthesis pathway of *Salmonella* and ພ the bacterial polysaccharide transport systems
 L. Zhang, A. Al-Hendy, P. Toivanen & M. Skurnik
- Cloning, expression and sequencing of Helicobacter felis urease genes
 R. L. Ferrero & A. Labigne
- 335 Double, independent mutational events in the rpsL gene of Escherichia coli: an example of hypermutability?
 A. R. Timms & B. A. Bridges
- 343 A pleiotropic reduced virulence (Rvi⁻) mutant of Erwinia carotovora subspecies atroseptica is defective in flagella assembly proteins that are conserved in plant and animal bacterial pathogens
 V. Mulholland, J. C. D. Hinton, J. Sidebotham, I. K. Toth, L. J. Hyman, M. C. M. Pérombelon, P. J. Reeves & G. P. C. Salmond
- 357 Generation of isogenic K54 capsule-deficient Escherichia coli strains through TnphoAmediated gene disruption T. A. Russo, J. E. Guenther, S. Wenderoth & M. M. Frank

- 365 Sequence and properties of mecA, a negative regulator of genetic competence in Bacillus subtilis
 L. Kong, K. J. Siranosian, A. D. Grossman & D. Dubnau
- 375 Retarded RNA turnover in Escherichia coli: a means of maintaining gene expression during anaerobiosis
 D. Georgellis, T. Barlow, S. Arvidson & A. von Gabain
- 383 Isolation and characterization of hydroxylamine-induced mutations in the Erwinia herbicola ice nucleation gene that selectively reduce warm temperature ice nucleation activity D. Gurian-Sherman, S. E. Lindow & N. J. Panopoulos
- Function of the rfb gene cluster and the rfe gene in the synthesis of O antigen by Shigella dysenteriae 1
 J. D. Klena & C. A. Schnaitman

VOLUME 9 NUMBER 3

MicroReviews

- 403 FtsZ ring in bacterial cytokinesis
 J. Lutkenhaus
- 411 Translation elongation factor 3: a fungusspecific translation factor?
 G. P. Belfield & M. F. Tuite
- 419 Assembly of the Escherichia coli F₁F₀ ATPase, a large multimeric membrane-bound enzyme W. S. A. Brusilow
- 425 Nitrate regulation of anaerobic respiratory gene expression in *Escherichia coli* V. Stewart

- 435 The FtsZ protein of *Bacillus subtilis* is localized at the division site and has GTPase activity that is dependent upon FtsZ concentration

 X. Wang & J. Lutkenhaus
- The genes of the glutamine synthetase adenylylation cascade are not regulated by nitrogen in *Escherichia coli* W. C. van Heeswijk, M. Rabenberg,
 H. V. Westerhoff & D. Kahn
- 459 The absence of a surface protease, OmpT, determines the intercellular spreading ability of Shigella: the relationship between ompT and kcpA loci
 N. Nakata, T. Tobe, I. Fukuda, T. Suzuki, K. Komatsu, M. Yoshikawa & C. Sasakawa
- Orientation of porin channels in the outer membrane of *Bordetella pertussis* E. Kocsis, B. L. Trus, A. C. Steven, P. R. Smith, J. H. Hannah, M. J. Brennan & M. Kessel

- 477 Erwinia stewartii WtsA, a positive regulator of pathogenicity gene expression, is similar to Pseudomonas syringae pv. phaseolicola HrpS R. D. Frederick, D. R. Majerczak & D. L. Coplin
- Identification of a novel gene, dep, associated with depolymerization of the capsular polymer in Bacillus anthracis
 I. Uchida, S. Makino, C. Sasakawa, M. Yoshikawa, C. Sugimoto & N. Terakado
- 497 Differentiation of Pseudomonas aeruginosa into the alginate-producing form: inactivation of mucB causes conversion to mucoidy D. W. Martin, M. J. Schurr, M. H. Mudd & V. Deretic
- 507 The Myf fibrillae of Yersinia enterocolitica M. Iriarte, J.-C. Vanooteghem, I. Delor, R. Díaz, S. Knutton & G. R. Cornelis
- 521 Inhibition of translational initiation in Saccharomyces cerevisiae by secondary structure: the roles of the stability and position of stem-loops in the mRNA leader C. C. Oliveira, J. J. van den Heuvel & J. E. G. McCarthy
- 533 NAD* binding to the Escherichia coli K*uptake protein TrkA and sequence similarity between TrkA and domains of a family of dehydrogenases suggest a role for NAD* in bacterial transport A. Schlösser, A. Hamann, D. Bossemeyer,
- E. Schneider & E. P. Bakker

 Identification of a new nuclear gene (*CEM1*) encoding a protein homologous to a β-keto-acyl synthase which is essential for mitochondrial respiration in *Saccharomyces cerevisiae*

autoregulation of expression and site-specific cleavage of mRNA
E. A. Mudd & C. F. Higgins

- 569 The ntrBC genes of Rhizobium leguminosarum are part of a complex operon subject to negative regulation
 E. J. Patriarca, A. Riccio, R. Taté, S. Colonna-Romano, M. laccarino & R. Defez
- 579 An accessory gene, *lipB*, required for the production of active *Pseudomonas glumae* lipase
 L. G. J. Frenken, J. W. Bos, C. Visser, W. Müller, J. Tommassen & C. T. Verrips
- Role of the *lipB* gene product in the folding of the secreted lipase of *Pseudomonas glumae* L. G. J. Frenken, A. de Groot, J. Tommassen &
 C. T. Verrips
- 601 Chemotaxis plays a role in the social behaviour of *Myxococcus xanthus* W. Shi, T. Köhler & D. R. Zusman

- 613 Transcription at different salinities of Haloferax mediterranei sequences adjacent to partially modified Pstl sites F. J. M. Mojica, G. Juez & F. Rodríguez-Valera
- Isolation of a putative fimbrial adhesin from Bordetella pertussis and the identification of its gene
 R. J. L. Willems, C. Geuijen, H. G. J. van der Heide, M. Matheson, A. Robinson, L. F. Versluis,
- R. Ebberink, J. Theelen & F. R. Mooi

 Evolution of penicillin resistance in

 Streptococcus pneumoniae; the role of

 Streptococcus mitis in the formation of a low
 affinity PBP2B in S. pneumoniae

 C. G. Dowson, T. J. Coffey, C. Kell & R. A. Whiley
- 645 The Hsp60 protein of Helicobacter pylori: structure and immune response in patients with gastroduodenal diseases G. Macchia, A. Massone, D. Burroni, A. Covacci, S. Censini & R. Rappuoli

VOLUME 9 NUMBER 4

MicroReviews

- The filamentous haemagglutinin, a multifaceted adhesin produced by virulent Bordetella spp.
 C. Locht, P. Bertin, F. D. Menozzi & G. Renauld
- 661 Solution of the ribosome riddle: how the ribosome selects the correct aminoacyl-tRNA out of 41 similar contestants
 K. H. Nierhaus
- 671 Regulation of the Escherichia coli heat-shock response
 B. Bukau
- 681 The interaction between coumarin drugs and DNA gyrase
 A. Maxwell
- 687 Bacterial proteins binding to the mammalian extracellular matrix
 B. Westerlund & T. K. Korhonen

- 695 The partition (par) locus of pSC101 is an enhancer of plasmid incompatibility
 C. A. Miller & S. N. Cohen
- 703 AmpG, a signal transducer in chromosomal β-lactamase induction S. Lindquist, K. Weston-Hafer, H. Schmidt, C. Pul, G. Korfmann, J. Erickson, C. Sanders, H. H. Martin & S. Normark
- 717 Expression of gene 19 of the conjugative plasmid R1 is controlled by RNase III
 G. Koraimann, C. Schroller, H. Graus, D. Angerer, K. Teferle & G. Högenauer
- 729 Formation of several bacterial c-type cytochromes requires a novel membrane-anchored protein that faces the periplasm D. Ritz, M. Bott & H. Hennecke

- Phosphorylation of Spo0A activates its stimulation of in vitro transcription from the Bacillus subtilis spollG operon
 T. H. Bird, J. K. Grimsley, J. A. Hoch & G. B. Spiegelman
- 751 The transcriptional activator HIyU of Vibrio cholerae: nucleotide sequence and role in virulence gene expression
 S. G. Williams, S. R. Attridge & P. A. Manning
- 761 An unusually small gene required for sporulation by *Bacillus subtilis* P. A. Levin, N. Fan, E. Ricca, A. Driks, R. Losick & S. Cutting
- 773 Intercellular signalling in Vibrio harveyi: sequence and function of genes regulating expression of luminescence
 B. L. Bassler, M. Wright, R. E. Showalter & M. R. Silverman
- 787 SyrD is required for syringomycin production by *Pseudomonas syringae* pathovar syringae and is related to a family of ATP-binding secretion proteins N. B. Quigley, Y.-Y. Mo & D. C. Gross
- 803 The virD4 gene is required for virulence while virD3 and orf5 are not required for virulence of Agrobacterium tumefaciens T.-S. Lin & C. I. Kado
- 813 Suppression of a dominant G protein β-subunit mutation in yeast by Gα protein expression M. Zhang & D. J. Tipper
- 823 Mechanism of expression of DNA repair gene vsr, an Escherichia coli gene that overlaps the DNA cytosine methylase gene, dcm
 M. E. Dar & A. S. Bhagwat
- 835 Isozymes of S-adenosylmethionine synthetase are encoded by tandemly duplicated genes in Escherichia coli
 C. Satishchandran, J. C. Taylor & G. D. Markham
- 847 An outer membrane protein (OmpA) of Escherichia coli can be translocated across the cytoplasmic membrane of Bacillus subtilis J. Meens, E. Frings, M. Klose & R. Freudl
- 857 Characterization of pilQ, a new gene required for the biogenesis of type 4 fimbriae in Pseudomonas aeruginosa
 P. R. Martin, M. Hobbs, P. D. Free, Y. Jeske & J. S. Mattick
- Sequence and molecular analysis of the nifL gene of Azotobacter vinelandii
 G. Blanco, M. Drummond, P. Woodley & C. Kennedy
- 881 Molecular characterization of a fungal secondary metabolism promoter: transcription of the *Asperigillus nidulans* isopenicillin N synthetase gene is modulated by upstream negative elements

 B. Péréz-Esteban, M. Orejas, E. Gómez-Pardo & M. A. Peñalva

The maturation pathway of microcin B17, a peptide inhibitor of DNA gyrase
 Yorgey, J. Davagnino & R. Kolter

VOLUME 9 NUMBER 5

MicroReviews

- 907 Bacterial ureases: structure, regulation of expression and role in pathogenesis
 C. M. Collins & S. E. F. D'Orazio
- 915 The sialidase superfamily and its spread by horizontal gene transfer
 P. Roggentin, R. Schauer, L. L. Hoyer & E. R. Vimr
- 923 Transcriptional control of the *Pseudomonas putida* TOL plasmid catabolic pathways
 S. Marqués & J. L. Ramos

- 931 Internalin-mediated invasion of epithelial cells by *Listeria monocytogenes* is regulated by the bacterial growth state, temperature and the pleiotropic activator *prfA*S. Dramsi, C. Kocks, C. Forestier & P. Cossart
- 943 A C-terminal truncation results in high-level expression of the functional photoreceptor sensory rhodopsin I in the archaeon Halobacterium salinarium
 E. Ferrando-May, B. Brustmann & D. Oesterhelt
- 955 Aeromonas spp. can secrete Escherichia coli alkaline phosphatase into the culture supernatant, and its release requires a functional general secretion pathway K. R. Wong & J. T. Buckley
- 965 Roles in inhibitor recognition and quinol oxidation of the amino acid side chains at positions of cyt b providing resistance to Q₀-inhibitors of the bc₁ complex from Rhodobacter capsulatus
 M. K. Tokito & F. Daldal
- 979 Targeted interruption of the psaA and psaB genes encoding the reaction-centre proteins of photosystem I in the filamentous cyanobacterium Anabaena variabilis ATCC 29413
 K. J. Nyhus, T. Thiel & H. B. Pakrasi
- 989 The catR gene encoding a catalase from Aspergillus niger: primary structure and elevated expression through increased gene copy number and use of a strong promoter T. Fowler, M. W. Rey, P. Vähä-Vahe, S. D. Power & R. M. Berka
- 999 Repeat sequences in the Bordetella pertussis adenylate cyclase toxin can be recognized as alternative carboxy-proximal secretion signals by the Escherichia coli α-haemolysin translocator P. Šebo & D. Ladant

- 1011 Escherichia coli hha mutants, DNA supercoiling and expression of the haemolysin genes from the recombinant plasmid pANN202-312
 M. Carmona, C. Balsalobre, F. Muñoa, M. Mouriño, Y. Jubete, F. De la Cruz & A. Juárez
- 1019 Interchange of functional domains switches enzyme specificity: construction of a chimeric pneumococcal–clostridial cell wall enzyme C. Croux, C. Ronda, R. López & J. L. García
- 1027 Nucleotide sequence and expression of the Pseudomonas aeruginosa algF gene controlling acetylation of alginate
 D. Shinabarger, T. B. May, A. Boyd, M. Ghosh & A. M. Chakrabarty
- Genetic identification of exported proteins in Streptococcus pneumoniae
 J. Pearce, Y. B. Yin & H. R. Masure
- 1051 Regulation of mobilization of the broad-hostrange plasmid pTF-FC2
 J. Rohrer & D. E. Rawlings
- 1061 The role of the lipoprotein sorting signal (aspartate +2) in pullulanase secretion
 I. Poquet, M. G. Kornacker & A. P. Pugsley
- 1071 Construction and pathogenicity of Aspergillus fumigatus mutants that do not produce the ribotoxin restrictocin J. M. Smith, J. E. Davies & D. W. Holden
- 1079 Translational initiation at the coat-protein gene of phage MS2: native upstream RNA relieves inhibition by local secondary structure

 M. H. de Smit & J. van Duin
- 1089 ColE1 multimer formation triggers inhibition of *Escherichia coli* cell division
 M. E. Patient & D. K. Summers
- 1097 The contribution of the cell wall to a transmembrane calcium gradient could play a key role in *Bacillus subtilis* protein secretion M.-F. Petit-Glatron, L. Grajcar, A. Munz & R. Chambert
- 1107 The function of the upsteram region of the σ⁵⁴-dependent *Klebsiella pneumoniae nifL* promoter is sensitive to DNA supercoiling S. Whitehall, S. Austin & R. Dixon
- 1119 MicroCorrespondence

VOLUME 9 NUMBER 6

MicroReview

1123 Processes at the nick region link conjugation, T-DNA transfer and rolling circle replication V. L. Waters & D. G. Guiney

- 1131 PcnB is required for the rapid degradation of RNAI, the antisense RNA that controls the copy number of ColE1-related plasmids
 L. He, F. Söderbom, E. G. H. Wagner, U. Binnie, N. Binns & M. Masters
- 1143 Pore-forming and haemolytic properties of the Gardnerella vaginalis cytolysin
 S. Cauci, R. Monte, M. Ropele, C. Missero, T. Not, F. Quadrifoglio & G. Menestrina
- 1157 A Rhizobium tropici DNA region carrying the amino-terminal half of a nodD gene and a nodbox-like sequence confers host-range extension
 C. Sousa, J. L. Folch, P. Boloix, M. Megías, N. Nava & C. Quinto
- 1169 An unusual promoter controls cell-cycle regulation and dependence on DNA replication of the *Caulobacter fliLM* early flagellar operon
 C. M. Stephens & L. Shapiro
- 1181 The nik operon of Escherichia coli encodes a periplasmic binding-protein-dependent transport system for nickel C. Navarro, L.-F. Wu & M.-A. Mandrand-Berthelot
- 1193 Rubisco but not Rubisco activase is clustered in the carboxysomes of the cyanobacterium Synechococcus sp. PCC 7942: Mud-induced carboxysomeless mutants D. Friedberg, K. M. Jager, M. Kessel, N. J. Silman & B. Bergman
- Molecular cloning and characterization of a proline iminopeptidase gene from *Neisseria gonorrhoeae* N. H. Albertson & M. Koomey
- Adherence and fibronectin binding are environmentally regulated in the group A streptococci
 T. VanHeyningen, G. Fogg, D. Yates, E. Hanski & M. Caparon
- 1223 The ORF1 of the gentamicin-resistance operon (aac) of Pseudomonas aeruginosa encodes adenosine 5'-phosphosulphate kinase
 C. Satishchandran, J. C. Taylor & G. D. Markham
- 1229 Amino acid replacements in the Serratia
 marcescens haemolysin ShIA define sites
 involved in activation and secretion
 R. Schönherr, R. Tsolis, T. Focareta & V. Braun
- 1239 Molecular basis of streptomycin resistance in Mycobacterium tuberculosis: alterations of the ribosomal protein S12 gene and point mutations within a functional 16S ribosomal RNA pseudoknot M. Finken, P. Kirschner, A. Meier, A. Wrede & E. C. Böttger

- 1247 Induction of phagocytic behaviour in human epithelial cells by Escherichia coli cytotoxic necrotizing factor type 1 L. Falzano, C. Fiorentini, G. Donelli, E. Michel, C. Kocks, P. Cossart, L. Cabanié, E. Oswald & P. Boquet
- 1255 Regulation and sequence of the structural gene for cytochrome c₅₅₂ from Escherichia coli: not a hexahaem but a 50 kDa tetrahaem nitrite reductase
 A. Darwin, H. Hussain, L. Griffiths, J. Grove, Y. Sambongi, S. Busby & J. Cole
- 1267 Multiple novel promoters from the early region in the Streptomyces temperate phage ⊕C31 are activated during lytic development C. J. Ingham, H. J. Crombie, C. J. Bruton, K. F. Chater, N. M. Hartley, G. J. P. Murphy & M. C. M. Smith
- 1275 The role of a repetitive DNA motif (5'-CAAT-3') in the variable expression of the Haemophilus influenzae lipopolysaccharide epitope αGal(1-4)βGal
 N. J. High, M. E. Deadman & E. R. Moxon
- 1283 The IS4 family of insertion sequences: evidence for a conserved transposase motif R. Rezsöhazy, B. Hallet, J. Delcour & J. Mahillon
- Activation of potassium channels during metabolite detoxification in *Escherichia coli* G. P. Ferguson, A. W. Munro, R. M. Douglas,
 D. McLaggan & I. R. Booth
- 1305 MicroCorrespondence

Indexes

- 1307 Keyword Index
- 1313 Author Index